

MASS MOTORCYCLES 2015



MANUFACTURED IN ITALY  Since 1947

MOTORCYCLES ACCESSORIES 2015



Ivan Cervantes - Foto Dario Agrati



Bienvenidos en **Ariete**, empresa conocida y apreciada desde más de 65 años por generaciones de motoristas de todo el mundo por la calidad de sus productos de goma y plástica, dedicados a las motos y a los scooters.

El carácter familiar de la gestión, llegada a la tercera generación continuando la tradición original, permite cuidar al máximo cada realización, que es pensada y planeada en los más mínimos detalles: la elección de avanzadas materias primas, el diseño innovador de la mejor Escuela Italiana, los procesos de producción orientados a la salvaguardia del medio ambiente.

Es con mucho orgullo, entonces, que Ariete presenta la colección 2015, actual foco en los productos clave del Programa de Accesorios para Motos y espíritu vital del "**Made in Italy by Ariete**".

La Dirección de Ventas de Ariete es a su disposición para facilitarles todas las informaciones de carácter técnico y comercial que necesitan.

Aprovechen la lectura.

Welcome to **Ariete**, known and admired for more than 65 years by generations of bikers around the world for the high quality of its rubber and plastic products, specially made for motorcycles and scooters.

Our family management is now in its third generation, and keen as ever to preserve our traditions. We are early adopters of new technology, with its concern for reduced waste, flexibility, and concern for the environment. Our success has been achieved in the best Italian tradition, with eye-catching styling and quality, the use of advanced raw materials, and innovative design, backed-up with the latest "lean and clean" techniques.

Ariete proudly presents its 2015 collection. As ever, this comprises products aimed at the Powered Two- Wheeler market – all with the flair and vital spirit you would expect from **Ariete – Made in Italy**.

The Ariete Sales Department is at your disposal, ready to provide all the technical and commercial information you may need.

Enjoy your read.



13950-TBAL

13953-TBAL ASIAN FITTING FOAM



FEATURES

 A.V.S. Ariete Ventilation System	 ANTI_SCRATCH	 UV FILTERS	 O.T.G. Over The Glasses	 SILICONE	 DOUBLE BUCKLE	 QUICK RELEASE	 LENS FOR TEAR_OFF	 PU + PA
 FOAM LAYERS 3	 3D FOAM	 ANTI_FOG	 OPEN FILTERS	 LENS FOR ROLL_OFF	 ASIAN FITTING FOAM AVAILABLE	 NOSE GUARD INCLUDED	 MICROFIBER BAG INCLUDED	

OPTIONAL ACCESSORIES

 BIG ROLL_OFF	 One Size Fits All ARIETE LENS
------------------	--------------------------------------

EXCLUSIÓN DE RESPONSABILIDADES

Los productos Ariete, Ari y Harri's no prevén daños en caso de impacto. Si no están seguros de las instrucciones de montaje, contacten: info@ariete.com. La empresa Sandro Mentasti Srl no es responsable en caso de daños pasados durante el uso de estos productos.

RESPONSABILIDAD LEGAL

El uso de los códigos originales de los productores es sólo para referencia. Los productos Ariete, Ari y Harri's no son los mismos vendidos por el productor. Hicimos todos los esfuerzos posibles para asegurar la precisión y la simple comprensión de las informaciones contenidas en este catálogo. En todo caso Sandro Mentasti Srl no se puede considerar responsable en caso de que sus productos sean utilizados en condiciones especiales o excepcionales sin haber preguntado antes la opinión a un representante de Ariete. Sandro Mentasti Srl no es oficialmente implicada con PIAGGIO®, HONDA®, YAMAHA®, SUZUKI®, KAWASAKI®, BMW®. Todos los productos identificativos de un modelo de moto se tienen que considerar sólo como referencia para el uso de los accesorios.

Manuel Monni - Foto Dario Agrati



DISCLAIMER

"Ariete, Ari, Harri's products will not prevent injury in the event of a crash. If you are unsure of any installation procedure, please contact info@ariete.com. Sandro Mentasti Srl will not be responsible for injuries occurred in using these products".

LEGAL DISCLAIMER

The use of the original manufacturers' part numbers is for reference purposes only. The Ariete, Ari, Harri's parts offered are not original manufacturers' parts. Every effort has been made to ensure the accuracy and comprehensiveness of the information given in this brochure.

However, Sandro Mentasti srl cannot be held responsible if its products are used in special or exceptional circumstances without prior consultation with and clearance from an Ariete representative. Sandro Mentasti srl has nothing to do with PIAGGIO®, HONDA®, YAMAHA®, SUZUKI®, KAWASAKI®, BMW®, trademarks.

All the products with trademarks or motorcycle identification names are to be considered exclusively as references for the use of our accessories.

OFF ROAD

Riding Crows Ventilation System	7
Riding Crows Basic Line	8
Riding Crows Top Line	10
Riding Crows Spare Parts	12
Riding Crows Roll-Off Big	13
07 Line Ventilation System	15
07 Line AAA	16
07 Line Colors	18
07 Line Palladium	19
07 Line Spare Parts	20
Goggles Enduro	22
Goggles Desert	23
Goggles Snowmobile	24
Riding Crows & 07 Line Spare Parts	
Riding Crows & 07 Line Lenses	26
Riding Crows & 07 Line Tear-Off	27
Riding Crows & 07 Line Freetime	28
Grips Off Road Trinity Line	30
Grips Off Road Duality Line	31
Grips Off Road Unity Line Slimline	32
Grips Off Road Unity Half Waffle Line	33
Grips Off Road Unity Half Waffle ASP Line	34
Grips Off Road Extreme Half Waffle Line	35
Off Road Various	36
Off Road Accessories	38

ROAD

Ariete Vintage goggles	44
Alu-Rub grips	46
Alu-Rub Bar Weights	47
Grips Estoril	49
Grips Extreme	50
Grips Road Standard	51
Grips Road Various	
BMW	53
Honda	54
Kawasaki	
Suzuki	55
Yamaha	
Piaggio	56
Harri's Evo ASP	57
Grips Scooter	58
Grips Road Harri's	59
Road Accessories	60

TECHNICAL PARTS

Ari	66
Brake Calipers seals	74
Master cylinders seals	75
Fuel Pipes	76
Drive Belts by Gates	80
Merchandising	82



OFF ROAD

GOGGLES

RIDING CROWS LINE
07 LINE
ENDURO GOGGLES
DESERT GOGGLES
SNOWMOBILE GOGGLES
ACCESSORIES

GRIPS

TRINITY LINE
DUALITY LINE
UNITY LINE
UNITY HALF WAFFLE ASP LINE
EXTREME LINE
DISCIPLINES LINE

ACCESSORIES

ACCESSORIES OFF-ROAD

OFF ROAD



RIDING CROWS

Sistema de ventilación A.V.S. El Sistema de Ventilación Ariete, que tiene zonas específicas para la entrada y salida del aire, regula la temperatura del interior de las gafas y gracias al perfil frontal superior de la montura, adecuadamente rebajado, facilita la circulación del aire en las entradas de ventilación del casco.

AVS Ventilation system. The Ariete Ventilation System uses carefully chosen areas for the intake and exhaust of cooling air. Airflow from the goggles, whose upper front profile is specially lowered to aid this process, enters the collecting vents at the front of the helmet, flows across the rider's head, and leaves the back of the helmet in a continuous process.



A.V.S. Ariete Ventilation System

O.T.G. Over The Glasses

PROTECCION GAFAS ARIETE

Las gafas Ariete están certificadas conforme a las normas europeas EN 1938:2010.
- superan los controles de impacto "High Mass" y "High velocity" conforme a la norma americana ANSI Z87.1-2003.

PROTECCION LENTES ARIETE

Las lentes Ariete están certificadas conforme a la norma europea EN 1938:2010;
- están provistas de tratamiento anti-fog (anti-empañamiento) opcional en la norma europea EN 1938:2010;
- responden a las características prescritas por la norma americana VESC-8.

Significa que la lente ARIETE resiste a una esfera de acero de 6mm. de diámetro que impacta a 216 km/h!!

ARIETE GOGGLE PROTECTION

Ariete goggles are certified according to European standards EN 1938:2010.
- they pass the "High Mass" and "High velocity" impact tests provided for by American ANSI standard Z87.1-2003;

ARIETE LENS PROTECTION

Ariete lenses are certified according to European standard EN 1938:2010;
- they are provided with Anti-fog treatment, which is optional under European standard EN 1938:2010;
- they meet the requirements of American standard VESC-8.

This means that the ARIETE lens will withstand a 6 mm. steel ball hitting it at 135 miles per hour!!

NEW COLLECTION



13950-AB15

13953-AB15 ASIAN FITTING FOAM



FEATURES

 A.V.S. Ariete Ventilation System	 ANTI_SCRATCH	 UV FILTERS	 O.T.G. Over The Glasses	 SILICONE	 DOUBLE BUCKLE	 QUICK RELEASE	 LENS FOR TEAR_OFF
 PU + PA	 FOAM LAYERS 2	 3D FOAM	 ANTI_FOG	 OPEN FILTERS	 LENS FOR ROLL_OFF	 ASIAN FITTING FOAM AVAILABLE	

OPTIONAL ACCESSORIES

 NOSE GUARD	 BIG ROLL_OFF	 One Size Fits All ARIETE LENS
----------------	------------------	--------------------------------------



13950-NN15

13953-NN15 ASIAN FITTING FOAM



13950-RB15

13953-RB15 ASIAN FITTING FOAM



13950-LB15

13953-LB15 ASIAN FITTING FOAM



13950-OB15

13953-OB15 ASIAN FITTING FOAM

RIDING CROWNS

BASIC LINE

RIDING CROWNS

TOP LINE



13950-TNBL

13953-TNBL ASIAN FITTING FOAM



13950-TNGO

13953-TNGO ASIAN FITTING FOAM



13950-TBNR

13953-TBNR ASIAN FITTING FOAM



13950-TNBO

13953-TNBO ASIAN FITTING FOAM



13950-TOFA

13953-TOFA ASIAN FITTING FOAM



13950-TGFL

13953-TGFL ASIAN FITTING FOAM



13951-PLF (FLUO)



Juego recambio garras para la tracción del elástico, un juego de enganches incluido

Spare QD outriggers for head-band attachment, pair of pins included




13951-A



13951-ALF (FLUO)



13951-GS (MAT)



13951-GLF (FLUO)



13951-OLF (FLUO)



13951-R



13951-N



13951-B



4 enganches de recambio para garras
Spare 4 pins for QD outriggers

13952



12966-RC

Cubrenariz - Noseguard

ROLL - OFF BIG



12962-RCRO

2 contenedores, 2 rollos de película transparente, 1 mud flap, 1 slide rail que es un carril por donde se desplaza la película transparente, se monta sobre la lente entre los contenedores de la película y permite a la película desplazarse sobre la superficie de la lente sin atascarse.

2 canisters, 2 rolls of film, 1 mud visor, 1 anti-stick slide rail! Just fit the slide rail over the roll-off pins and locate it by fitting the canisters. This will enable the roll-off film to slide smoothly across the lens without sticking to it.



12967-RC 3 pcs.



12963-RCMF 3 pcs.



12962-RCCO 2 pcs.



12962-RCRU 6 pcs.



ROLL-OFF BIG
RIDING CROWS

CLEAR AIR



Cat. 0



12961-RCFR

Lente específica para el sistema **Roll-Off BIG**, solo para gafas Riding Crows !!

Specific lens for **BIG Roll-Off** system, suitable for Riding Crows only !!



12961-RCRO

Lente clara con tratamiento anti-empañado y anti-arañado con roll-off puesto, 2 rollos de película, 1 mud flap, 1 carril slide rail, 6 tearoffs para roll-off incluidos.

Clear lens with anti-fog and anti-scratches treatment, Roll-off system already assembled, 2 rolls of film, 1 mud visor, 1 slide rail, 6 tearoffs for Roll-off included.



13950-NNRO

13953-NNRO ASIAN FITTING FOAM

FEATURES

A.V.S. Ariete Ventilation System	ANTI-SCRATCH	UV FILTERS	O.T.G. Over The Glasses	SILICONE	DOUBLE BUCKLE	QUICK RELEASE	PU + PA	FOAM LAYERS 2	3D FOAM
ANTI-FOG	OPEN FILTERS	BIG ROLL-OFF ASSEMBLED	ASIAN FITTING FOAM AVAILABLE						

OPTIONAL ACCESSORIES



One Size Fits All
ARIETE LENS

O7 LINE

Sistema de ventilación A.V.S. El Sistema de Ventilación Ariete, que tiene zonas específicas para la entrada y salida del aire, regula la temperatura del interior de las gafas y gracias al perfil frontal superior de la montura, adecuadamente rebajado, facilita la circulación del aire en las entradas de ventilación del casco.

AVS Ventilation system. The Ariete Ventilation System uses carefully chosen areas for the intake and exhaust of cooling air. Airflow from the goggles, whose upper front profile is specially lowered to aid this process, enters the collecting vents at the front of the helmet, flows across the rider's head, and leaves the back of the helmet in a continuous process.



A.V.S. Ariete Ventilation System

DESIGN GAFAS ARIETE

Las gafas Ariete están cubiertas por el Registro de Diseño Europeo EU #568910-0001 y americano US PAT D595,331S.

PROTECCION GAFAS ARIETE

Las gafas Ariete están certificadas conforme a las normas europeas EN 1938:2010 .
- superan los controles de impacto "High Mass" y "High velocity" conforme a la norma americana ANSI Z87.1-2003.

PROTECCION LENTES ARIETE:

Las lentes Ariete están certificadas conforme a la norma europea EN 1938:2010;
- están provistas de tratamiento anti-fog (anti-empañamiento) opcional en la norma europea EN 1938:2010;
- responden a las características prescritas por la norma americana VESC-8.

Significa que la lente ARIETE resiste a una esfera de acero de 6mm. de diámetro que impacta a 216 km/h!!

ARIETE GOGGLES DESIGN

Ariete goggles are covered by European Registered design EU #568910-0001 as well as by American US PATENT D595,331S.

ARIETE GOGGLES PROTECTION

Ariete goggles are certified according to European standards EN 1938:2010 and EN 166:2001.
- they pass the "High Mass" and "High velocity" impact tests provided for by American ANSI standard Z87.1-2003;

ARIETE LENS PROTECTION

Ariete lenses are certified according to European standard EN 1938:2010;
- they are provided with Anti-fog treatment, which is optional under European standard EN 1938:2010;
- they meet the requirements of American standard VESC-8.

This means that the ARIETE lens will withstand a 6 mm. steel ball hitting it at 135 miles per hour!!

ARIETE VENTILATION SYSTEM




12960-AAAL



12960-AAAA



FEATURES



OPTIONAL ACCESSORIES





12960-AAAN



12960-AAAB



12960-AAAR



12960-AAAO

NEW COLLECTION



12960-CAA



12960-CAO



12960-CAG





12960-CNR




12960-CNB



FEATURES

 A.V.S. Ariete Ventilation System	 UV FILTERS	 ANTI_FOG	 ANTI_SCRATCH	 LENS FOR TEAR_OFF	 LENS FOR ROLL_OFF	 PU
 SILICONE	 DOUBLE BUCKLE	 FOAM LAYERS 3	 OPEN FILTERS			

OPTIONAL ACCESSORIES

 ROLL_OFF	 NOSE GUARD	 One Size Fits All ARIETE LENS
---	---	---




12960-PN15



12960-PB15

FEATURES



OPTIONAL ACCESSORIES



NEW COLLECTION

PALLADIUM

W
Z
N
O

ROLL - OFF



12962-RO

2 contenedores, 2 rollos de película transparente, 1 mud flap, 1 slide rail que es un carril por donde se desplaza la película transparente, se monta sobre la lente entre los contenedores de la película y permite a la película desplazarse sobre la superficie de la lente sin atascarse.

2 canisters, 2 rolls of film, 1 mud visor, 1 anti-stick slide rail! Just fit the slide rail over the roll-off pins and locate it by fitting the canisters. This will enable the roll-off film to slide smoothly across the lens without sticking to it.



12967 3 pcs.



12963-MF 3 pcs.

12962-CORO 2 pcs.



12962-KRU 6 pcs.



12961-KRO

Lente clara con tratamiento anti-empañado y anti-arañado con roll-off puesto, 2 rollos de película, 1 mud flap, 1 carril slide rail, 6 tearoffs para roll-off incluidos.

Clear lens with anti-fog and anti-scratches treatment, Roll-off system already assembled, 2 rolls of film, 1 mud visor, 1 slide rail, 6 tearoffs for Roll-off included.



12966
Cubrenariz Nose Guard



12966-HM

Cubrenariz Completo
base en PA6 reforzada con fibra de vidrio + goma blanda TPR

Half mask
Structure in a fiber glass reinforced PA6 + TP rubber



13950-ENB

13953-ENB ASIAN FITTING FOAM



FEATURES

 A.V.S. Ariete Ventilation System	 ANTI_SCRATCH	 UV FILTERS	 O.T.G. Over The Glasses	 SILICONE	 DOUBLE BUCKLE	 QUICK RELEASE	 PU + PA
 FOAM LAYERS 2	 3D FOAM	 ANTI_FOG	 OPEN FILTERS	 VENTILATED LENS CAT.0	 ASIAN FITTING FOAM AVAILABLE		

OPTIONAL ACCESSORIES

 NOSE GUARD	 BIG ROLL_OFF	 One Size Fits All ARIE TE LENS
----------------	---------------------	---------------------------------------

RIDING CROWS RALLY DESERT


DESERT



13950-DNN



FEATURES



OPTIONAL ACCESSORIES



SELECTION

RIDING CROWS SNOWMOBILE

GOGGLES



13950-MM15



FEATURES

 A.V.S. Ariete Ventilation System	 UV FILTERS	 O.T.G. Over The Glasses	 SILICONE	 DOUBLE BUCKLE	 QUICK RELEASE	 PU + PA	 FOAM LAYERS 2
 EXTRA FOAM	 ANTI_FOG	 CLOSED FILTERS	 VENTILATED LENS CAT.0	 NOSE GUARD INCLUDED			

OPTIONAL ACCESSORIES

 BIG ROLL_OFF	 One Size Fits All ARIE TE LENS
---------------------	---------------------------------------

RIDING CROWS SNOWMOBILE



13950-MT15



FEATURES

 A.V.S. Ariete Ventilation System	 UV FILTERS	 O.T.G. Over The Glasses	 SILICONE	 DOUBLE BUCKLE	 QUICK RELEASE	 PU + PA	 FOAM LAYERS 3	
 EXTRA FOAM	 ANTI_FOG	 CLOSED FILTERS	 MIRRORED VENTILATED LENS CAT.3	 NOSE GUARD INCLUDED				

OPTIONAL ACCESSORIES

 BIG ROLL_OFF	 One Size Fits All ARIETE LENS
---------------------	--------------------------------------

SNOWMOBILE


SETEGO

SINGLE LENSES

Clear Air  Cat. 0   + Tearoff & Roll-Off Pins 12961-PCCH	Clear Air No Pins  Cat. 0   No Tearoff & Roll-Off Pins 12961-SCCH	Silver Chrome  Cat. 2   + Tearoff & Roll-Off Pins 12961-PCSP	Silver Chrome No Pins  Cat. 2   No Tearoff & Roll-Off Pins 12961-SCSC	Silver Chrome No Pins  Cat. 3   No Tearoff & Roll-Off Pins Not for driving use 12961-SCST	Blue Creek  Cat. 1   + Tearoff & Roll-Off Pins 12961-PCFA
Multi-Layer Rainbow  Cat. 0   + Tearoff & Roll-Off Pins 12961-MUAZ	Light Coral  Cat. 1   + Tearoff & Roll-Off Pins 12961-PCAR	Yellow Desert  Cat. 1   + Tearoff & Roll-Off Pins 12961-PCG	Green Forest  Cat. 1   + Tearoff & Roll-Off Pins 12961-PCV	Green Musk  Cat. 2   + Tearoff & Roll-Off Pins 12961-PCVS	Blue Sky  Cat. 1   + Tearoff & Roll-Off Pins 12961-PCAZ

Lentes sencillas - tratamiento anti-empañado en el interior
 - tratamiento anti-rayado en el exterior
 COMPATIBLES CON TODAS LAS GAFAS ARIETE!

Single Lenses - internal coating of Anti-fog material
 - external coating of Anti-scratches material
 EACH LENS FITS ALL THE MODELS OF
 ARIETE GOGGLES!



DOUBLE CYLINDRICAL LENSES

Clear Air  Cat. 0   + Tearoff & Roll-Off Pins 12961-DCC	Clear Air Ventilated  Cat. 0   + Tearoff & Roll-Off Pins 12961-DCVC	Clear Air Ventilated No Pins  Cat. 0  No Tearoff & Roll-Off Pins 12961-DCV	Silver Chrome Ventilated  Cat. 2  No Tearoff & Roll-Off Pins 12961-DCSV	Silver Chrome Ventilated  Cat. 3   No Tearoff & Roll-Off Pins Not for driving use 12961-DCST
Yellow Desert Ventilated  Cat. 1  No Tearoff & Roll-Off Pins 12961-DCGV	Light Coral Ventilated  Cat. 1  + Tearoff & Roll-Off Pins 12961-DCOC	Light Coral Ventilated  Cat. 1  No Tearoff & Roll-Off Pins 12961-DCOV	Blue Sky Ventilated  Cat. 1  No Tearoff & Roll-Off Pins 12961-DCAV	Multi-Layer  Cat. 3   No Tearoff & Roll-Off Pins Not for driving use 12961-DMLR


Lentes dobles

- tratamiento anti-rayado en el exterior
 - propiedad anti-vaho en el interior
 - filtros removibles para limpieza
 COMPATIBLES CON TODAS LAS GAFAS ARIETE!

Double cylindrical Lenses

- polycarbonate outer lens with anti-scratch treatment
 - inner anti-fog lens
 - removable filters for cleaning
 EACH LENS FITS ALL THE MODELS OF ARIETE GOGGLES!


TEARS-OFFS STANDARD



12964-TOLE

Kit 5 paquetes, 6 Tear-offs/paquete
Tirables estandar para utilizar sobre la lente

Kit 5 stacks, 6 Tear-offs/stack
Standard tear-offs to place on the lenses




12964-TORO

SUITABLE FOR ROLL OFF

Kit 3 paquetes, 6 Tear-offs/paquete
Tirables específicos para aplicar sobre el Roll-off

Kit 3 stacks, 6 Tear-offs/stack
Specific tear-offs to place on the Roll-off system




12964-TOV

SUITABLE FOR VENTILATED LENSES

Kit 3 paquetes, 6 Tear-offs/paquete
Tirables específicos para aplicar sobre lentes ventiladas

Kit 3 stacks, 6 Tear-offs/stack
Specific tear-offs to place on ventilated lenses




12964-TOLL

LAMINATED RECOMMENDED FOR RACE

Kit 3 paquetes, 7 Tear-offs/paquete
Los tearoffs laminados son 7 películas desechables selladas entre si, que puedes montar hasta 3 kits. Registrado y garantizados por Racing Optics® USA, son el secreto de los profesionales.

Kit 3 stacks, 7 Tear-offs/stack
Mount 7 layers. Patented technology by Racing Optics® USA, highest quality available. For professional racers!



12964-RE

TEAR-OFF PINS

Clips regulables para tender al máximo el tear-off evitando que el polvo y la suciedad se introduzcan entre la lente removible y el cristal, se venden por pares, uso profesional.

Eccentric pins for precise tear offs adjustment to avoid dust between lens and tearoff, sold in pairs, professional use.



12965-B



12965/A

RACING GOGGLES CASE

- 1 bolsillo amplio con cremallera para tear-offs;
 - 1 bolsillo abierto para lentes;
 - 3 bolsillos interiores, distintos formatos;
 - 4 divisorios removibles con velcro;
-
- 1 large pocket with zip closure for tear-offs;
 - 1 open pocket for lenses;
 - 3 pockets in varied sizes;
 - 4 removable internal dividers with Velcro;



12969-RN14



12971-B14

Tejido elástico 98% Algodón,
2% Spandex talla S/M

6 panel, fitted cap. 98% Cotton, 2% Spandex.
Size S/M; 6 3/4"-7 1/4"



13908-R



13908



13908-A



13908-AR



12933



12933-R



12933-A



12933-AR



02614-GRRN

115 mm - 4 1/2"



02614-BNR 115 mm - 4 1/2"



02614-NGRB 115 mm - 4 1/2"



02614-GRAR 115 mm - 4 1/2"



02614-GRAN 115 mm - 4 1/2"

Puños asimétricos en 3 materiales

- Núcleo en material semi-rígido anti-torsión;
- Zona palmar confortable Supersoft, zona de agarre con relieve específico half-waffle;
- Borde interno aumentado, internamente reforzado, revestido en extra suave XTouch;
- Recorte anatómico perfilado en el lado derecho para el pulgar y el índice;
- Aleta externa pre-marcada para ser perforada con una guía de corte para ser usado con paramanos;
- 4 espacios para facilitar la colocación del alambre de acero para una sujeción perfecta

Asymmetrical grips co-moulded from 3 compounds

- Chassis in semi-rigid torque-limited elastomer;
- Palm in legendary Supersoft, critical finger-grip area with half- waffle surface;
- Pronounced inner flange, with internal reinforcement, coated in extra-soft XTouch;
- Anatomically profiled cut-out for thumb and forefinger;
- Outer flange pre-marked for piercing with a cutting guide for use with all-round hand guards;
- Four grooves for steel wire give extra security

Puños en 2 materiales

- núcleo en material semi-rigido anti-torsión;
- zona palmar confortable Supersoft, zona de agarre con relieve específico half-waffle;
- borde interno aumentado, internamente reforzado, revestido en extra suave XTouch;
- recorte anatómico perfilado en el lado derecho para el pulgar y el índice;
- aleta externa pre-marcada para ser perforada con una guía de corte para ser usado -on paramanos;
- 3 espacios para facilitar la colocación del alambre de acero para una sujeción perfecta

Grips co-moulded from 2 compounds

- micro-pyramid pattern provides firm safe grip
- palm in legendary Supersoft material
- pronounced inner flange, with internal reinforcement
- anatomically profiled cut-out for thumb and forefinger
- outer flange pre-marked for piercing with a cutting guide for use with all-round hand guards
- three grooves for steel wire give extra security

2 MATERIALS



DUALITY LINE

SERIES



02619-N

115 mm - 4 1/2"


Soft



02619/H

115 mm - 4 1/2"

Medium



02619




115 mm - 4 1/2"

Soft



- borde interno aumentado;
- recorte anatómico perfilado en el lado derecho para el pulgar y el índice;
- aleta externa pre-marcada para ser perforada con una guía de corte para ser usado con paramanos;
- 4 espacios para facilitar la colocación del alambre de acero para una sujeción perfecta. El 4º espacio está situado en el extremo para evitar que entren impurezas entre el puño/manillar y el puño/ acelerador cuando se montan paramanos cerrados;


- pronounced inner flange;
- anatomically-profiled channel at the inner end for thumb and forefinger;
- outer cap pre-marked for piercing, with a cutting guide for use with all-round hand guards;
- four wire-on grooves for extra security. The fourth groove is at the extreme outer end of the grip, and prevents grit from being trapped between bar and grip or bar and twist grip when used with hand guards






02621/A-A


NEW COLLECTION




02621/A-AR




02621/A-T




02621/A-L



02621/A-R




02621/A-N



01699
Soft

115 mm - 4 1/2"


SEBS



01699-N
Soft

115 mm - 4 1/2"

SEBS



01699/H
Medium

115 mm - 4 1/2"

SEBS

ATV-CYCLE



02630-NGR

125 mm. 4 7/8"

85 mm. 3 3/8"

Ø22-22 - 7/8"-7/8"

Ø22-22 - 7/8"-7/8"

XT+SEBS

XT+SEBS

Posibilidad de corte a 85mm para uso con cambio en el puño (grip shift)

- half-waffle: mitad liso y mitad rallado en cuadro
- recorte anatómico perfilado para el pulgar y el índice

Lenght can be reduced to 85mm. for use on cyles with twist shift

- critical finger-grip area with half-waffle surface
- anatomically profiled cut-out for thumb and forefinger

QUATTRO



02620

125 mm - 4 7/8"

Ø22-22 - 7/8"-7/8"

A.S.P.

- aleta externa pre-marcada para ser perforada
- half-waffle: mitad liso y mitad rallado en cuadro

- outer cap pre-marked for piercing
- critical finger-grip area with half- waffle surface

TRIAL




02617

120 mm - 4 3/4"

XT+SEBS

- 3 espacios para el alambre de fijación
- terminal reforzado anti-shock

- 3 built-in wire-on grooves
- end cap to protect bar ends



01651/SS

120 mm - 4 3/4"

SEBS

- espacio para el alambre en la aleta interior
- mínimo diámetro para máximo agarre

- wire-on groove alongside the inner flange
- minimum diameter for maximum control

RALLY



02616

125 mm - 4 7/8"

Tech. Foam+TP Caps

- esponja técnica, hipoalergénica
- dos tapones para evitar que entren impurezas entre el puño y acelerador
- forma anatómica cilíndrica, la mejor para condiciones de rally
- special technical foam, anti-allergy material
- 2 plastic bungs to exclude sand and dust from throttle and bar ends
- anatomical cylindrical shape, the best for use in desert conditions!

CLASSIC MX



01671

120 mm - 4 3/4"

A.S.P.

SNOWMOBILE



02610-A

130 mm - 5 1/8" Ø22-22 - 7/8"-7/8" S.E.B.S



02610-R

130 mm - 5 1/8" Ø22-22 - 7/8"-7/8" S.E.B.S

VARIOUS OFF ROAD

GRIPS

BRAKE LOCK



12951



- freno de mano, bloquea la maneta de freno
- sirve como freno de parking
- aumenta la seguridad durante el transporte del vehículo

- holds the front brake on
- can be used as a parking brake
- ideal for steadying the bike while in transit


MUD SCRAPER



12952

- empuñadura ergonómica, perfil ranurado
- punta de estrella para radios y pequeños agujeros
- punta concava de amplia superficie para llantas

- easy to use, radiused profiles
- star-shaped for spokes and dimples
- concave for rims and larger areas



SUPER FAST GRIP GLUE

- fijación de 30 a 90 segundos, alta viscosidad, conf. 20 gramos
- Leer las instrucciones

- dries in 30 to 90 seconds -High viscosity, 0,7 ounces
- Read and follow instructions carefully

12992

DONUTS



12929

- disco protector para las aletas, medida universal
- amortigua las vibraciones, conf. juego
- anti-blistering disk, universal size
- absorbs vibration, sold in sets

BIG FOOT



11993



11993-R


- evita que la moto se hunda en la tierra o en el asfalto blando
- no tiene problemas de golpes, peso, sol ni calor
- conf. 10 piezas por color
- stops the sidestand from sinking into the ground or soft tarmac
- stands up to shocks, heavy weights, sun and heat
- pack 10 pcs



10915 1,60"
10916 1,85"
10917 2,15"



10936 con valvola
10936 air-valve included



09957



10901
Nero/Black A.S.P.
Ø 19-38



13904
Nero/Black A.S.P.
Ø 24-48



Racing spark plug cover with resistor

- resistencia antiparasitaria de 5.000 Ohm
- resistor ceramico de altas prestaciones, montaje en bujias SAE diam. 6,4 mm
- totalmente estanca, impermeable
- 5.000 Ohm resistance
- high performance ceramic resistor, suits 6,4 mm dia. SAE spark plug nut
- totally waterproof



12949 gomma EPDM
EPDM rubber



12949/S silicone ad alto potere isolante
silicone rubber



09965 /A




09965-A



09965



04999 small
04999/A standard



CODE	COLOUR	Ø TUBE	Ø SLIDER	L: MIN	L: MAX
09932	Black	40/43	57/60	75	500
09932-A	Blue	40/43	57/60	75	500
09932-R	Red	40/43	57/60	75	500
09941	Black	28/32	52/54	55	310
09943	Black	35/38	56/59	85	440
09950	Black	43/46	58/63	90	600
06962	Black	32/34	52/54	65	300
07901	Black	35/38	56/60	85	440
07907	Black	28/30	46/48	50	215
07995	Black	38/41	58/62	95	430
07995-A	Blue	38/41	58/62	95	430
07995-R	Red	38/41	58/62	95	430
09974	Black	43/45	57/60	70	240
09981	Black	39/41	58/60	105	290
09942/A-A	Blue	33/38	50/55	100	335

OFF-ROAD

ACCESSORIES



Tommaso Lorenzetti - Foto Team Rosso e Nero

ROAD

GOGGLES

ARIETE VINTAGE GOGGLES LINE

GRIPS

ALU - RUB GRIPS
ALU RUB BAR WEIGHTS
ESTORIL GRIPS
EXTREME GRIPS
STANDARD GRIPS
GRIPS BY BRAND
SCOOTER GRIPS
HARRI'S ROAD GRIPS

ACCESSORIES

TANK PROTECTORS
VALVES FOR TUBELESS
ACCESSORIES ROAD

ROAD

Las gafas Ariete Vintage, para ser utilizadas en la carretera, son un proyecto completamente italiano que nace de la colaboración con Nannini Italian Quality Srl, empresa histórica, afamada por la producción de gafas motociclistas con relleno de piel. La consolidada tradición de cualidad combina modernas tecnologías en la producción de la montura y de las lentes con una cualificada mano de obra artesanal muy especializada en la costura de la piel y en el ensamblaje.

Entonces, nace un producto en perfecto estilo vintage pero absolutamente actual por la alta calidad de los materiales empleados, realizado con competencia y pasión en línea con la producción de Ariete.

La montura es en acero cromado y tiene ventilación perimetral.

El relleno, cada uno de los cuales es único, es hecho por un lado interior en contacto con la piel de la cara en piel natural, para garantizar un excelente confort, y por un lado exterior de eco-piel para ser más resistente a los agentes atmosféricos.

La lente cilíndrica asegura una perfecta visibilidad, una protección total de los rayos UV y tiene un tratamiento anti-niebla al interior.

El elástico, con doble hebilla para una más fácil regulación, tiene silicona al interior para adherir mejor al casco.

Ariete Vintage goggles for road use are an Italian product designed and made in cooperation with Nannini Italian Quality Srl, a legendary company famous for leather-framed motorcycle goggles.

Their well-established tradition of quality combines modern technology in the production of frame and lens with highly specialized hand finishing of the sewn leather and metal components.

The result is a product in perfect retro style, but in tune with the modern preference for natural materials. Nannini is a natural partner for Ariete, and these goggles display the same attention to detail and choice of high quality materials as the existing Ariete product range.

The frames are made of chromium-plated steel, with side venting for comfort.


The inner surface of the goggles is made from hand-sewn natural leather for unmatched comfort, while the suede outer surface has been specially treated to provide enhanced weatherproofing.

The cylindrical lenses provide perfect visibility and total protection from UV rays.

They have anti-fog treatment on the inside surface.

The headband has a double buckle for easy adjustment, and a non-slip silicone band on the inside to keep it in place on the rider's helmet.

FEATURES





13990-MCF

NEW COLLECTION



13990-NRF

VINTAGE

SELECTION

ALU RUB

LOCK ON GRIPS



02631-GO

125 mm - 4 7/8"



02633-GO

125 mm - 4 7/8"



02631-ALL

125 mm - 4 7/8"



02633-ALL

125 mm - 4 7/8"



02631-N

125 mm - 4 7/8"



02633-N

125 mm - 4 7/8"

- aluminio ligero y ultra-resistente
- puño derecho: compatible con el acelerador de serie
- puño izquierdo: compatible con los tornillos de seguridad
- llave allen incluida

- superlight and extra resistant aluminium
- right grip: suitable for standard throttle pipes
- left grip: screw fastening
- allen key provided

2015 - 2015 - 2015 - 2015 - 2015 - 2015 - 2015
UNIVERSAL FITTING
2015 - 2015 - 2015 - 2015 - 2015 - 2015 - 2015

SPARE PARTS



12999

125 mm - 4 7/8" PAIR



12998

125 mm - 4 7/8" PAIR



13905

125 mm - 4 7/8" PAIR

BAR WEIGHTS



ALU-RUB BAR WEIGHTS

- masa en aluminio anodizado sacada de la parte llena
- tornillos en acero inoxidable anti óxido
- 2 partes de goma vulcanizada en el interior del manillar

- anodised body machined from billet alloy
- stainless steel screws
- 2 vulcanised rubber spacers to grip the i.d. of the bar

ALU-RUB

GRIPS

UNIVERSAL

Universal 12,0	14,0 mm
Universal 14,5	17,0 mm
Universal 17,0	20,0 mm



CODE BLACK



CODE GOLD



CODE ALU

12997/U1-N	12997/U1-O	12997/U1AL
12997/U2-N	12997/U2-O	12997/U2AL
12997/U3-N	12997/U3-O	12997/U3AL

HONDA

CB1000R '08-'09	12997/HO-N	12997/HO-O	12997/HOAL
CBR1000 '04-'08	12997/HO-N	12997/HO-O	12997/HOAL
CBR1000RR '03-'07	12997/HO-N	12997/HO-O	12997/HOAL
CBR600 /FS /RR '91-'07	12997/HO-N	12997/HO-O	12997/HOAL
CBR600 RR '07-'09	12997/HO-N	12997/HO-O	12997/HOAL
CBR900 '94-'03	12997/HO-N	12997/HO-O	12997/HOAL
Hornet 600 '07-'09	12997/HO-N	12997/HO-O	12997/HOAL
Hornet 600/900 '99-'07	12997/HO-N	12997/HO-O	12997/HOAL
VTR1000SP	12997/HO-N	12997/HO-O	12997/HOAL

KAWASAKI

ER6N '03-'07	12997/KA-N	12997/KA-O	12997/KAAL
Z1000 '10	12997/KA-N	12997/KA-O	12997/KAAL
Z1000/750	12997/KA-N	12997/KA-O	12997/KAAL
ZX-10R '04-'09	12997/U2-N	12997/U2-O	12997/U2AL
ZX6R '07-'08	12997/U2-N	12997/U2-O	12997/U2AL
ZX6R '98-'06	12997/KA-N	12997/KA-O	12997/KAAL
ZX7R - ZX9R '98-'07	12997/KA-N	12997/KA-O	12997/KAAL

SUZUKI

Bandit 1250A – Bandit 1250SA	12997/U3-N	12997/U3-O	12997/U3AL
Bandit 600/1200 '99-'07	12997/U3-N	12997/U3-O	12997/U3AL
Bandit 650 – Bandit 650S Traveller	12997/U3-N	12997/U3-O	12997/U3AL
Burgman 125 – 200	12997/SU-N	12997/SU-O	12997/SUAL
Burgman 400 – 650	12997/U3-N	12997/U3-O	12997/U3AL
Gladius	12997/SU-N	12997/SU-O	12997/SUAL
GSX-R600–GSX-R750–GSX-R1000 (use OE washer/rondella)	12997/SU-N	12997/SU-O	12997/SUAL
GSX650F - GSX1250FA	12997/U3-N	12997/U3-O	12997/U3AL
V-Strom 650 - V-Strom 650A Traveller - V-Strom 1000	12997/U3-N	12997/U3-O	12997/U3AL

YAMAHA

FZ1 '06-'09	12997/YARN	12997/YARO	12997/YARA
FZ6, Fazer 1000, TDM, T-Max, YZF-R 125	12997/YA-N	12997/YA-O	12997/YAAL
R1 '98-'09	12997/YARN	12997/YARO	12997/YARA
R6 '06-'08	12997/YARN	12997/YARO	12997/YARA
XJ6 '09	12997/YA-N	12997/YA-O	12997/YAAL

DUCATI

Monster 696/1000	12997/U1-N	12997/U1-O	12997/U1AL
S2R 1000 '07-'08	12997/U1-N	12997/U1-O	12997/U1AL
S2R 800 '05-'07	12997/U1-N	12997/U1-O	12997/U1AL
S4R 1000 '07-'08	12997/U1-N	12997/U1-O	12997/U1AL
S4R 996 '05-'06	12997/U1-N	12997/U1-O	12997/U1AL


ESTORIL BI MATERIAL



02615-R

120 mm - 4 3/4"

XT+SEBS



02615-A

120 mm - 4 3/4"

XT+SEBS

- núcleo en material semi-rigido anti-torsión, máximo confort
- proyecto de estructura para amortiguar las vibraciones
- rigid sub-strate with soft outer skin
- cleverly-designed to give exceptional grip and absorb vibration

ESTORIL SUPERBIKE GEL

SUPERBIKE USE



02615-SBK

120 mm - 4 3/4"

XT+SEBS

ESTORIL

GRIPS



02613

130 mm - 5 1/8"


Soft



02613/H

130 mm - 5 1/8"

Medium




02613-N

130 mm - 5 1/8"

Soft

- lado exterior ancho para un agarre seguro
- aletas reducidas

- outer flange for lateral hold
- minimal flanges



02632/SSF

120 mm - 4 3/4"

Super Soft



02623/SSF

120 mm - 4 3/4" Super Soft



02626/SSF

120 mm - 4 3/4" Super Soft



02626/SS

120 mm - 4 3/4" Super Soft



02626/A/F

120 mm - 4 3/4" A.S.P




02626/A

120 mm - 4 3/4" A.S.P



02625/SSF

120 mm - 4 3/4" Super Soft



01682/SSF

125 mm - 4 7/8" Super Soft




01612

130 mm - 5 1/8" Gomma/Rubber




01612/SS

130 mm - 5 1/8" Super Soft




01690/F

130 mm - 5 1/8" Super Soft




01661/SSF

120 mm - 4 3/4" Super Soft



01686/SSF

120 mm - 4 3/4" Super Soft



01616

125 mm - 4 7/8" Foam Plus



01685/SSF
120 mm - 4 3/4"

Super Soft



01680/SSF
120 mm - 4 3/4"

Super Soft



01663/SSF
115mm - 4 1/2"

Super Soft




01681/SSF
120 mm - 4 3/4"

Super Soft



01694/SSF
120mm - 4 3/4"


Super Soft



01679/SSF
120 mm - 4 3/4"

Super Soft

BMW



01690/F

130 mm - 5 1/8"

Ø22-26 - 7/8" - 0,94"

Super Soft



01690/F/24


130 mm - 5 1/8"

Ø26-26 - 0,94"-0,94"



per comandi riscaldati/ for heated controls

Super Soft



02624/L

125mm - 4 7/8"

Ø26-26 - 0,94"-0,94"



per comandi riscaldati/ for heated controls

Super Soft



02624/C

125mm - 4 7/8"


Ø26-26 - 0,94"-0,94"



per comandi riscaldati/ for heated controls

Super Soft

HONDA



01686/SSF

120 mm - 4 3/4"

Super Soft



01682/SSF

125 mm - 4 7/8" Super Soft



01661/SSF

120 mm - 4 3/4" Super Soft



01687-C2R

120 mm - 4 3/4"

T.S.C



01612

130 mm - 5 1/8"

Rubber



01612/SS

130 mm - 5 1/8"

Super Soft

KAWASAKI



01685/SSF

120 mm - 4 3/4"

Super Soft



02625/SSF

120 mm - 4 3/4" Super Soft



01679/SSF

120mm - 4 3/4"

Super Soft



01687-NJ

125 mm - 4 7/8"

T.S.C



01687-ZX

125 mm - 4 7/8"

T.S.C

SUZUKI



02623/SSF

120 mm - 4 3/4"

Super Soft



01680/SSF

120 mm - 4 3/4"

Super Soft




01687-GSRA

125 mm - 4 7/8"

T.S.C


YAMAHA



01663/SSF

115 mm - 4 1/2"

Super Soft



01694/SSF

120 mm - 4 3/4"


Super Soft



01681/SSF

120 mm - 4 3/4"

Super Soft



01687-R1

120 mm - 4 3/4"

T.S.C



02626/SSF 120 mm - 4 3/4" Super Soft

02626/A/F 120 mm - 4 3/4" A.S.P



02626/SS 120 mm - 4 3/4" Super Soft

02626/A 120 mm - 4 3/4" A.S.P

VARIOUS

GRIPS



01678
120 mm - 4 3/4"

A.S.P.



01683
125 mm - 4 7/8"

A.S.P.



01626/V
135 mm - 5 1/4" Ø22-22 - 7/8" A.S.P.
Per Vespa



01683-M
125 mm - 4 7/8"


A.S.P.



01609/V
125 mm - 4 7/8" Ø22-22 - 7/8" A.S.P.
Per Vespa

Harri's®

NEW COLLECTION




02632/A-R
120 mm - 4 3/4"

A.S.P



02632/A/FR
120 mm - 4 3/4"

A.S.P



02632/A-L
120 mm - 4 3/4"

A.S.P



02632/A/FL
120 mm - 4 3/4"

A.S.P



02632/A-A
120 mm - 4 3/4"

A.S.P



02632/A/FA
120 mm - 4 3/4"

A.S.P



02632/A-T
120 mm - 4 3/4"

A.S.P



02632/A/FT
120 mm - 4 3/4"

A.S.P



02632/A-B
120 mm - 4 3/4"

A.S.P



02632/A/FB
120 mm - 4 3/4"

A.S.P



02632/A
120 mm - 4 3/4"

A.S.P



02632/A/F
120 mm - 4 3/4"

A.S.P

HARRI'S EVO ASP

GRIPS

GRIPS SCOOTER



02622-BR 125 mm - 4 7/8" XT+SEBS



02622-BN 125 mm - 4 7/8" XT+SEBS



01670 120 mm - 4 3/4" A.S.P.




01670-A 120 mm - 4 3/4" A.S.P.



01681/A 120 mm - 4 3/4" A.S.P.



01668/A 120 mm - 4 3/4" A.S.P.



12906 100 mm Spugna/Foam Paio/Pair Nero/Black



11944 75 mm - 3" A.S.P. Paio/Pair Nero/Black

Harri's®



01684

120 mm - 4 3/4"

T.S.C



01684/F

120 mm - 4 3/4"

T.S.C



01687

120 mm - 4 3/4"

T.S.C



01687/F

120 mm - 4 3/4"

T.S.C



01687/LF

125 mm - 4 7/8"

T.S.C



01684-NRN

120 mm - 4 3/4"

T.S.C



01684/FNRN

120 mm - 4 3/4"

T.S.C



01684-RBA

120 mm - 4 3/4"

T.S.C



01684/FRBA

120 mm - 4 3/4"

T.S.C



01687-HRGR

120 mm - 4 3/4"

T.S.C



01687-HRR

120 mm - 4 3/4"

T.S.C



01684-RNG

120 mm - 4 3/4"

T.S.C



01684/FRNG

120 mm - 4 3/4"

T.S.C

NEW COLLECTION



01684-VNV

120 mm - 4 3/4"

T.S.C



01684/FVNV

120 mm - 4 3/4"

T.S.C

HARRI'S ROAD

GRIPS

TANK PROTECTORS PUZZLE



12970

- resina transparente resistente a los rayos UV
- material anti-rayas y resiste el paso del tiempo
- material adhesivo de altísima calidad (no daña la pintura del depósito)

- perfectly UV-resistant transparent resin
- anti-scratch and long-lasting material
- top quality adhesive (no damage to fuel tank)




12970-R



12970-T


Transparente - Transparent



12970-TR

Transparente - carbono
Transparent - carbon look

RAGING VALVES FOR TUBELESS



TÜV TA - MAN - 9084/03

cod.11970= STANDARD RIMS

cod.11971= SPECIAL RIMS Antera, Brembo, Marchesini, Marvic, OZ Racing

- válvula de seguridad en aluminio para neumáticos sin cámara
- la inclinación de la válvula a 90° permite un practico acceso para el hinchado
- mantiene la presión del neumático
- se venden por pares

- safety valve in aluminium for tubeless wheels
- practical access for inflation
- no loss of pressure in the tyre
- sold in pairs



11970 Ø 11,3

11970 - GOLD Ø 11,3



11970-R Ø 11,3



11970 - ALL Ø 11,3
11971 - ALL Ø 8,3



11971-N Ø 8,3

11970-N Ø 11,3

ACCESSORIES

ROAD

BRAKE LOCK



12951



- freno de mano, bloquea la maneta de freno
- sirve como freno de parking
- aumenta la seguridad durante el transporte del vehículo

- holds the front brake on
- can be used as a parking brake
- ideal for steadying the bike while in transit



SUPER FAST GRIP GLUE

- fijación de 30 a 90 segundos, alta viscosidad, conf. 20 gramos
Leer las instrucciones

- dries in 30 to 90 seconds -High viscosity, 0,7 ounces
Read and follow instructions carefully

12992



12949

goma EPDM
EPDM rubber



12949 /S

silicona
silicone rubber



12932




12932-R



12932-A



12932-AR



09957

BIG FOOT



11993



11993-R

- evita que la moto se hunda en la tierra o en el asfalto blando
- no tiene problemas de golpes, peso, sol ni calor
- conf. 10 piezas por color

- stops the sidestand from sinking into the ground or soft tarmac
- stands up to shocks, heavy weights, sun and heat
- pack 10 pcs



TECHNICAL ACCESSORIES

ARI

ARI FORK OIL SEALS

ARISIL

FORKY

ARI MX APPLICATION LIST

ARI BY SIZE

ARI BY CODE

BRAKE CALIPERS SEALS

MASTER CYLINDERS SEALS

FUEL PIPES

E10 FUEL PIPE

POLARLYS PIPE

DOUBLE-SKINNED PIPE

STANDARD PIPE

DOT3-DOT4 PIPE

DRIVE BELTS BY GATES

STANDARD BELTS

KEVLAR BELTS

DOUBLE BELTS

MERCHANDISING

CONTENTS

ARI[®]
THE ORIGINAL
FORK OIL SEALS

XNBR
SPECIAL COMPOUND



ARI the original fork oil seals

El retén de horquilla ARI de Ariete se diferencia de otros productos existentes por la alta calidad y unicidad del material utilizado para su fabricación: el elastómero carbo-silicio "XNBR".

Esta mezcla posee en efecto características excepcionales de resistencia a la acción abrasiva, a la temperatura provocada por la fricción y a la agresión de los aditivos muy específicos que se utilizan en las horquillas.

La particular forma del retén de aceite ARI tiene bordes de cierre que se rectifican perfectamente y entonces el empuje del aceite es repartido de manera homogénea, impidiendo su escape. Cada equipo es hecho por 2 anillas de cierre y un sobre mono-dosis de grasa especial "ARISIL" para el correcto montaje de los 2 retenes de aceite.

La línea ARI es hecha por más de 160 medidas diferentes que aprovisionan más de 35.000 modelos de motos desde los años '60 hasta hoy.

ARI fork oil seals by ARIETE are different!

The quality of their execution is matched by the unique nature of the material used: the carboxylated elastomer known as "XNBR".

This compound offers unique characteristics of resistance to abrasion, to high temperatures generated as a result of hydraulic displacement within the fork, and to the chemical action of the various additives in the lubricant.

The design of ARI fork oil-seal LIPS, which have a ground finish, offers complete control of the varying internal pressure as the fork is alternately extended and compressed, with no loss of lubricant.

Each kit comprises 2 oil-seals, and comes complete with a sachet of special "ARISIL" grease to increase the life expectation of the components involved.

We offer over 160 ARI dimensions, which fit more than 35.000 motorcycle models, covering the period from the 1960s until the present day.



10945
1 gr.

0,03527 ounce



12950
100 gr. 3,527 ounces

ARISIL es una grasa silicona producida en los EEUU que trabaja como lubricante separador entre la barra y el reten de goma XNBR para reducir el máximo posible la fricción sin deteriorar la estanqueidad de la junta. Esta grasa ARISIL especialmente estudiada para aplicación goma – metal permite alargar la vida del retén preservando la integridad de las características fundamentales de resistencia química y elástica.

ARISIL is a special oil-seal lubricant produced in the USA. It plays the key role of lubricating and separating the fork tube from the surface of the XNBR rubber seal. This reduces friction to a minimum, without affecting the function of the oil-seal. The advantage of this special grease devised specifically as a rubber/metal lubricant is that it extends the life of the oil-seal, and helps it retain its vital characteristics of flexibility and chemical resistance.



CODE	TUBE Ø MM	CODE	TUBE Ø MM
12930/35	Ø 35	12930/44	Ø 44
12930/36	Ø 36	12930/45	Ø 45
12930/37	Ø 37	12930/46	Ø 46
12930/38	Ø 38	12930/47	Ø 47
12930/39	Ø 39	12930/48	Ø 48
12930/40	Ø 40	12930/49	Ø 49
12930/41	Ø 41	12930/50	Ø 50
12930/42	Ø 42	12930/51	Ø 51
12930/43	Ø 43		

Este útil para el montaje correcto de los retenes en horquillas tradicionales e invertidas (upside down) está disponible para retenes de 35 a 51 mm de diámetro interno. Realizado a partir de un bloque de acero mecanizado, con un tratamiento anticorrosión, posee una superficie externa que permite un perfecto agarre. El peso está comprendido entre 800 y 1000 grs. Se vende por unidades.

The Split fork seal driver is a tool used for changing the fork seals on conventional and upside down forks. Available for fork seals in 35 mm thru 51 mm configurations. Manufactured from plated carbon steel, featuring split design and weighted body. Weight range from 800 to 1.000 gr. Sold individually.

MX APPLICATION LIST

ARI
THE ORIGINAL
FORK OIL SEALS
BIKE

X No Bike
- Not Available

	2015	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005
Honda CR											
80-85	x	x	x	x	x	x	ARI.044	ARI.044	ARI.044	ARI.044	ARI.044
CAP	x	x	x	x	x	x	ARI.162	ARI.162	ARI.162	ARI.162	ARI.162
125	x	x	x	x	x	x	x	x	ARI.108	ARI.108	ARI.108
CAP	x	x	x	x	x	x	x	x	ARI.131	ARI.131	ARI.131
250/F	ARI.145	ARI.117	ARI.117	ARI.117	ARI.117	ARI.117	ARI.105	ARI.105	ARI.105	ARI.105	ARI.105
CAP	ARI.126	ARI.126	ARI.126	ARI.126	ARI.126	ARI.126	ARI.106	ARI.106	ARI.106	ARI.106	ARI.106
450/F	ARI.145	ARI.145	ARI.145	ARI.145	ARI.145	ARI.145	ARI.117	ARI.105	ARI.105	ARI.105	ARI.105
CAP	ARI.126	ARI.126	ARI.126	ARI.126	ARI.126	ARI.126	ARI.126	ARI.106	ARI.106	ARI.106	ARI.106
Yamaha YZ-WR											
85	ARI.046	ARI.046	ARI.046	ARI.046	ARI.046	ARI.046	ARI.046	ARI.046	ARI.046	ARI.046	ARI.046
CAP	-	-	-	-	-	-	-	-	-	-	-
125 LC	ARI.145	ARI.145	ARI.117	ARI.117	ARI.117	ARI.117	ARI.117	ARI.117	ARI.117	ARI.117	ARI.117
CAP	ARI.126	ARI.126	ARI.126	ARI.126	ARI.126	ARI.126	ARI.126	ARI.126	ARI.126	ARI.126	ARI.126
250 LC	ARI.145	ARI.117	ARI.117	ARI.117	ARI.117	ARI.117	ARI.117	ARI.117	ARI.117	ARI.117	ARI.117
CAP	ARI.126	ARI.126	ARI.126	ARI.126	ARI.126	ARI.126	ARI.126	ARI.126	ARI.126	ARI.126	ARI.126
250/F	ARI.145	ARI.145	ARI.145	ARI.145	ARI.145	ARI.145	ARI.117	ARI.117	ARI.117	ARI.117	ARI.117
CAP	ARI.126	ARI.126	ARI.126	ARI.126	ARI.126	ARI.126	ARI.126	ARI.126	ARI.126	ARI.126	ARI.126
450/F	ARI.145	ARI.145	ARI.145	ARI.145	ARI.145	ARI.145	ARI.117	ARI.117	ARI.117	ARI.117	ARI.117
CAP	ARI.126	ARI.126	ARI.126	ARI.126	ARI.126	ARI.126	ARI.126	ARI.126	ARI.126	ARI.126	ARI.126
Kawasaki KX											
65	ARI.096	ARI.096	ARI.096	ARI.096	ARI.096	ARI.096	ARI.096	ARI.096	ARI.096	ARI.096	ARI.096
CAP	-	-	-	-	-	-	-	-	-	-	-
80/85	ARI.046	ARI.046	ARI.046	ARI.046	ARI.046	ARI.046	ARI.046	ARI.046	ARI.046	ARI.046	ARI.046
CAP	-	-	-	-	-	-	-	-	-	-	-
100	ARI.046	ARI.046	ARI.046	ARI.046	ARI.046	ARI.046	ARI.046	ARI.046	ARI.046	ARI.046	ARI.046
CAP	-	-	-	-	-	-	-	-	-	-	-
125/250	x	x	x	x	x	x	x	x	ARI.117	ARI.117	ARI.117
CAP	x	x	x	x	x	x	x	x	ARI.126	ARI.126	ARI.126
250/F	ARI.145	ARI.145	ARI.145	ARI.105	ARI.105	ARI.105	ARI.105	ARI.105	ARI.105	ARI.105	ARI.117
CAP	ARI.126	ARI.126	ARI.126	ARI.106	ARI.106	ARI.106	ARI.106	ARI.106	ARI.106	ARI.106	ARI.126
450F	ARI.145	ARI.145	ARI.145	ARI.145	ARI.145	ARI.145	ARI.117	ARI.117	ARI.117	ARI.117	x
CAP	ARI.126	ARI.126	ARI.126	ARI.126	ARI.126	ARI.126	ARI.126	ARI.126	ARI.126	ARI.126	x
Suzuki RM											
80/85	ARI.044	ARI.044	ARI.044	ARI.044	ARI.044	ARI.044	ARI.044	ARI.044	ARI.044	ARI.044	ARI.044
CAP	ARI.162	ARI.162	ARI.162	ARI.162	ARI.162	ARI.162	ARI.162	ARI.162	ARI.162	ARI.162	ARI.162
100	x	ARI.046	ARI.046	ARI.046	ARI.046	ARI.046	ARI.046	ARI.046	ARI.046	ARI.046	ARI.046
CAP	x	-	-	-	-	-	-	-	-	-	-
125	x	ARI.105	ARI.105	ARI.105	ARI.105	ARI.105	ARI.105	ARI.105	ARI.105	ARI.105	ARI.105
CAP	x	ARI.106	ARI.106	ARI.106	ARI.106	ARI.106	ARI.106	ARI.106	ARI.106	ARI.106	ARI.106
250	x	x	x	x	x	ARI.105	ARI.105	ARI.105	ARI.105	ARI.105	ARI.105
CAP	x	x	x	x	x	ARI.106	ARI.106	ARI.106	ARI.106	ARI.106	ARI.106
250/Z	ARI.145	ARI.117	ARI.117	ARI.105	ARI.105	ARI.105	ARI.105	ARI.105	ARI.105	ARI.117	ARI.105
CAP	ARI.126	ARI.126	ARI.126	ARI.106	ARI.106	ARI.106	ARI.106	ARI.106	ARI.106	ARI.126	ARI.106
450/Z	ARI.145	ARI.117	ARI.117	ARI.105	ARI.105	ARI.105	ARI.105	ARI.105	ARI.105	ARI.105	ARI.105
CAP	ARI.126	ARI.126	ARI.126	ARI.106	ARI.106	ARI.106	ARI.106	ARI.106	ARI.106	ARI.106	ARI.106
KTM SX											
125	ARI.139	ARI.139	ARI.139	ARI.139	ARI.139	ARI.139	ARI.139	ARI.139	ARI.139	ARI.139	ARI.139
CAP	ARI.126	ARI.126	ARI.126	ARI.126	ARI.126	ARI.126	ARI.126	ARI.126	ARI.126	ARI.126	ARI.126
250	ARI.139	ARI.139	ARI.139	ARI.139	ARI.139	ARI.139	ARI.139	ARI.139	ARI.139	ARI.139	ARI.139
CAP	ARI.126	ARI.126	ARI.126	ARI.126	ARI.126	ARI.126	ARI.126	ARI.126	ARI.126	ARI.126	ARI.126
400/450/525	ARI.139	ARI.139	ARI.139	ARI.139	ARI.139	ARI.139	ARI.139	ARI.139	ARI.139	ARI.139	ARI.139
CAP	ARI.126	ARI.126	ARI.126	ARI.126	ARI.126	ARI.126	ARI.126	ARI.126	ARI.126	ARI.126	ARI.126

ACCESSORIES

TECHNICAL

SIZE	TYPE	CODE
24 X 32 X 7	KC	ARI.110
25,7 X 37 X 10,5	TC4	ARI.075
26 X 35,5/37,7 X 6/13,5	Y	ARI.076
26 X 37 X 10,5	TC4	ARI.052
27 X 39 X 10,5	TC4	ARI.009
28 X 38 X 7	SC	ARI.010
28 X 40 X 8	TC4	ARI.111
28,5 X 40 X 7/11	TC3Y	ARI.160
29 X 41 X 11	DCY	ARI.055
29,8 X 40 X 7	TC4	ARI.098
30 X 39/43 X 12	DC4Y	ARI.112
30 X 40 X 7/8	KEY	ARI.080
30 X 40 X 7/9	TCY	ARI.020
30 X 40 X 8/12	TC6Y	ARI.113
30 X 40 X 8/9	TCY	ARI.079
30 X 40,5 X 10,5/12	TCL	ARI.048
30 X 42 X 10,5	TB4	ARI.016
30 X 42 X 8/11	DCY1	ARI.142
31 X 43 X 10,5	DCY	ARI.005
31,5 X 45 X 7,1	TG4	ARI.161
31,7 X 42 X 7/9	TCL	ARI.078
31,74 X 42 X 9	TG4	ARI.103
31,75 X 42,8/48 X 7,6/11,6 + 31,7 X 42 X 7/9	Y+TCL	ARI.077
31,8 X 42 X 7	TC4	ARI.133
32 X 42 X 7	SC	ARI.013
32 X 42 X 7/9	TCY	ARI.011
32 X 42 X 8/9	TCY	ARI.014
32 X 43 X 12,5	TB4	ARI.031
32 X 44 X 10,5	TC4	ARI.060
32 X 45 X 7	TC	ARI.122
32 X 45 X 9/11	TCL	ARI.074
33 X 43 X 6,5/7,5	TCL	ARI.015
33 X 45 X 10	TC4	ARI.135
33 X 45 X 11	TC4	ARI.101
33 X 45 X 4,5/13,8	Y	ARI.121
33 X 45 X 8/10,5	DC4Y	ARI.100
33 X 45 X 8/10,5	TCL	ARI.071
33 X 46 X 10,5	TC4	ARI.004
33 X 46 X 11	DC4	ARI.096
33 X 46 X 11	DCY	ARI.073
33 X 46,5 X 5,8/15	Y-2	ARI.140
33,34 X 49,21 X 12,7/17,5	TCY	ARI.038
34 X 46 X 10,5	TB4	ARI.002
35 X 46 X 11	DC4Y-2	ARI.149
35 X 46,8/51,3 X 5/12,5	SG5Y	ARI.148
35 X 47 X 10	DCY	ARI.040
35 X 47 X 10/10,5	TCL	ARI.022
35 X 47 X 7,5/10	DCY	ARI.066
35 X 47 X 7/9	TCY	ARI.012
35 X 47 X 9,5/10,5	TC4Y	ARI.051
35 X 48 X 10,5	TC4	ARI.024
35 X 48 X 11	DCY	ARI.003T
35 X 48 X 13/14,5	TCL	ARI.003R
35 X 48 X 8/10,5	TCL	ARI.061
35 X 48 X 8/9,5	TCY	ARI.049
35 X 48,2 X 8/10,2	DC4Y	ARI.141
35 X 48,5/53 X 5,8/15	XICY	ARI.130
36 X 46 X 7/9	TCY	ARI.043
36 X 48 X 10,5	TC4	ARI.001
36 X 48 X 11	TC4	ARI.114
36 X 48 X 11/12,5	TCL	ARI.025
36 X 48 X 8/9,5	TCL	ARI.046
36,8 X 48,5/52,5 X 6/14	Y	ARI.115
37 X 49 X 8/10	DCY	ARI.050
37 X 49/49,4 X 8/9,5	TCL	ARI.027
37 X 50 X 11	DCY	ARI.044
37 X 50,5 X 5,6/12,8	Y-2	ARI.162
37,8 X 48 X 6/6,5	TC	ARI.017
38 X 48 X 10	TC4	ARI.094
38 X 49,1/54 X 6/15,5	Y	ARI.092
38 X 50 X 10,5	TC4	ARI.021
38 X 50 X 11	TC4	ARI.062

SIZE	TYPE	CODE
38 X 50 X 7/8	TCL	ARI.029
38 X 50 X 8/9,5	TCY	ARI.032
38 X 52 X 11	DCY	ARI.059
38,5 X 48 X 7/8,7	TCL	ARI.084
39 X 51 X 10,5/12	TCL	ARI.070
39 X 51 X 8/10,5	TCL	ARI.058
39 X 51 X 8/9,5 + 39 X 51,1/55,6 X 4,7/11,5	TCL	ARI.068
39 X 51,5 X 14	XICY	ARI.154
39 X 52 X 11	DCY	ARI.037
40 X 49,5 X 7/9,5	DC4Y	ARI.035
40 X 52 X 10/10,5	TCL	ARI.023
40 X 52 X 8/10,5	TCL	ARI.063
40 X 52 X 8/9,5	TCY	ARI.033
40 X 52,5 X 4,6/14	Y	ARI.124
41 X 51 X 6 4	SC4	ARI.045
41 X 52,2 X 11	DCY	ARI.143
41 X 52,5 X 4,6/14	Y-2	ARI.150
41 X 53 X 10,5	TC4	ARI.041
41 X 53 X 11	TC4	ARI.132
41 X 53 X 8/10,5	TCL	ARI.057
41 X 53 X 8/10,5	DC4Y	ARI.102
41 X 53 X 8/9,5	TCY	ARI.056
41 X 53,5/58 X 4,8/14	XICY	ARI.138
41 X 53,7 X 5/10	YC	ARI.128
41 X 54 X 11	DCY	ARI.047
41 X 54 X 5,6/12,7	Y-24	ARI.151
41 X 54,3 X 15	Y	ARI.153
41,3 X 54 X 13/14	TCL	ARI.089
41,7 X 55 X 10/10,5	TCL	ARI.028
41,7 X 55 X 7,5/10	DC4Y	ARI.083
41,7 X 55 X 8/10,5	TC4Y	ARI.034
43 X 52,7 X 9,5/10,5	TCY	ARI.107
43 X 52,9 X 9,2	DCY	ARI.158
43 X 53,4/57,5 X 6/13	SG5Y	ARI.159
43 X 54 X 11	DCY	ARI.118
43 X 54 X 11	TC4	ARI.053
43 X 54 X 9,5/10,5	TCL	ARI.090
43 X 54,2/59,8 X 6/11	Y-11	ARI.129
43 X 54,3 X 15,4	Y	ARI.155
43 X 54,3 X 6/13	Y-1	ARI.152
43 X 54,4 X 4,6/14	Y	ARI.119
43 X 55 X 10,5/12	TCL	ARI.036
43 X 55 X 11	TCL	ARI.123
43 X 55 X 11/14,5	TCL	ARI.127
43 X 55 X 9,5/10,5	DCY	ARI.109
43 X 55 X 9,5/10,5	TCL	ARI.072
43 X 55,7/60 X 5/14	XICY	ARI.144
45 X 57 X 11	DCY	ARI.067
45 X 57,3/62 X 6/13	SG5Y	ARI.091
45 X 58 X 11	DCY	ARI.120
45 X 58 X 8,5/11	DCY	ARI.082
45 X 58,3/62,3 X 4,5/11	Y	ARI.081
46 X 58 X 10,5	DCY	ARI.108
46 X 58 X 8,5/11,5	DC4Y-1	ARI.146
46 X 58,1 X 9,5/11,5	DCY	ARI.087
46 X 58,5 X 5/10	YC	ARI.131
46 X 58,5/62,3 X 5,8/13,2	Y-9	ARI.147
46 X 58,5/62,5 X 5/11,5	Y	ARI.088
47 X 58 X 10	TC4	ARI.105
47 X 58,5/62 X 6/10,3	SG5	ARI.106
48 X 57,7 X 9,5/10,3	TCL	ARI.116
48 X 57,9 X 9,5/11,5	DC4Y	ARI.139
48 X 58 X 9/9,8	TCL1	ARI.145
48 X 58,2 X 8,5/10,5	DC4Y	ARI.117
48 X 58,5/62 X 6/11,5	Y	ARI.126
48 X 61 X 11	TC4	ARI.134
49 X 60 X 10	TC4	ARI.104
50 X 59,6 X 7/10,5	DCY	ARI.085
50 X 60/63 X 7/13	Y	ARI.086
50 X 62 X 9,5/11,5	DC4Y	ARI.125
50 X 63 X 11	DCY	ARI.136
50 X 63 X 11	TCY	ARI.093
50 X 63,4X 4,6/14	Y	ARI.137

CODE	TYPE	SIZE
ARI.001	TC4	36 X 48 X 10,5
ARI.002	TB4	34 X 46 X 10,5
ARI.003R	TCL	35 X 48 X 13/14,5
ARI.003T	DCY	35 X 48 X 11
ARI.004	TC4	33 X 46 X 10,5
ARI.005	DCY	31 X 43 X 10,5
ARI.009	TC4	27 X 39 X 10,5
ARI.010	SC	28 X 38 X 7
ARI.011	TCY	32 X 42 X 7/9
ARI.012	TCY	35 X 47 X 7/9
ARI.013	SC	32 X 42 X 7
ARI.014	TCY	32 X 42 X 8/9
ARI.015	TCL	33 X 43 X 6,5/7,5
ARI.016	TB4	30 X 42 X 10,5
ARI.017	TC	37,8 X 48 X 6/6,5
ARI.020	TCY	30 X 40 X 7/9
ARI.021	TC4	38 X 50 X 10,5
ARI.022	TCL	35 X 47 X 10/10,5
ARI.023	TCL	40 X 52 X 10/10,5
ARI.024	TC4	35 X 48 X 10,5
ARI.025	TCL	36 X 48 X 11/12,5
ARI.027	TCL	37 X 49/49,4 X 8/9,5
ARI.028	TCL	41,7 X 55 X 10/10,5
ARI.029	TCL	38 X 50 X 7/8
ARI.031	TB4	32 X 43 X 12,5
ARI.032	TCY	38 X 50 X 8/9,5
ARI.033	TCY	40 X 52 X 8/9,5
ARI.034	TC4Y	41,7 X 55 X 8/10,5
ARI.035	DC4Y	40 X 49,5 X 7/9,5
ARI.036	TCL	43 X 55 X 10,5/12
ARI.037	DCY	39 X 52 X 11
ARI.038	TCY	33,34 X 49,21 X 12,7/17,5
ARI.040	DCY	35 X 47 X 10
ARI.041	TC4	41 X 53 X 10,5
ARI.043	TCY	36 X 46 X 7/9
ARI.044	DCY	37 X 50 X 11
ARI.045	SC4	41 X 51 X 6 4
ARI.046	TCL	36 X 48 X 8/9,5
ARI.047	DCY	41 X 54 X 11
ARI.048	TCL	30 X 40,5 X 10,5/12
ARI.049	TCY	35 X 48 X 8/9,5
ARI.050	DCY	37 X 49 X 8/10
ARI.051	TC4Y	35 X 47 X 9,5/10,5
ARI.052	TC4	26 X 37 X 10,5
ARI.053	TC4	43 X 54 X 11
ARI.055	DCY	29 X 41 X 11
ARI.056	TCY	41 X 53 X 8/9,5
ARI.057	TCL	41 X 53 X 8/10,5
ARI.058	TCL	39 X 51 X 8/10,5
ARI.059	DCY	38 X 52 X 11
ARI.060	TC4	32 X 44 X 10,5
ARI.061	TCL	35 X 48 X 8/10,5
ARI.062	TC4	38 X 50 X 11
ARI.063	TCL	40 X 52 X 8/10,5
ARI.066	DCY	35 X 47 X 7,5/10
ARI.067	DCY	45 X 57 X 11
ARI.068	TCL	39 X 51 X 8/9,5 + 39 X 51,1/55,6 X 4,7/11,5
ARI.070	TCL	39 X 51 X 10,5/12
ARI.071	TCL	33 X 45 X 8/10,5
ARI.072	TCL	43 X 55 X 9,5/10,5
ARI.073	DCY	33 X 46 X 11
ARI.074	TCL	32 X 45 X 9/11
ARI.075	TC4	25,7 X 37 X 10,5
ARI.076	Y	26 X 35,5/37,7 X 6/13,5
ARI.077	Y+TCL	31,75 X 42,8/48 X 7,6/11,6 + 31,7 X 42 X 7/9
ARI.078	TCL	31,7 X 42 X 7/9
ARI.079	TCY	30 X 40 X 8/9
ARI.080	KEY	30 X 40 X 7/8
ARI.081	Y	45 X 58,3/62,3 X 4,5/11
ARI.082	DCY	45 X 58 X 8,5/11
ARI.083	DC4Y	41,7 X 55 X 7,5/10
ARI.084	TCL	38,5 X 48 X 7/8,7

LIST BY CODE

ROSSO = PARAPOLVERE - RED = DUST SEALS - ROJO = GUARDAPOLVO

CODE	TYPE	SIZE
ARI.085	DCY	50 X 59,6 X 7/10,5
ARI.086	Y	50 X 60/63 X 7/13
ARI.087	DCY	46 X 58,1 X 9,5/11,5
ARI.088	Y	46 X 58,5/62,5 X 5/11,5
ARI.089	TCL	41,3 X 54 X 13/14
ARI.090	TCL	43 X 54 X 9,5/10,5
ARI.091	SG5Y	45 X 57,3/62 X 6/13
ARI.092	Y	38 X 49,1/54 X 6/15,5
ARI.093	TCY	50 X 63 X 11
ARI.094	TC4	38 X 48 X 10
ARI.096	DC4	33 X 46 X 11
ARI.098	TC4	29,8 X 40 X 7
ARI.100	DC4Y	33 X 45 X 8/10,5
ARI.101	TC4	33 X 45 X 11
ARI.102	DC4Y	41 X 53 X 8/10,5
ARI.103	TG4	31,74 X 42 X 9
ARI.104	TC4	49 X 60 X 10
ARI.105	TC4	47 X 58 X 10
ARI.106	SG5	47 X 58,5/62 X 6/10,3
ARI.107	TCY	43 X 52,7 X 9,5/10,5
ARI.108	DCY	46 X 58 X 10,5
ARI.109	DCY	43 X 55 X 9,5/10,5
ARI.110	KC	24 X 32 X 7
ARI.111	TC4	28 X 40 X 8
ARI.112	DC4Y	30 X 39/43 X 12
ARI.113	TC6Y	30 X 40 X 8/12
ARI.114	TC4	36 X 48 X 11
ARI.115	Y	36,8 X 48,5/52,5 X 6/14
ARI.116	TCL	48 X 57,7 X 9,5/10,3
ARI.117	DC4Y	48 X 58,2 X 8,5/10,5
ARI.118	DCY	43 X 54 X 11
ARI.119	Y	43 X 54,4 X 4,6/14
ARI.120	DCY	45 X 58 X 11
ARI.121	Y	33 X 45 X 4,5/13,8
ARI.122	TC	32 X 45 X 7
ARI.123	TCL	43 X 55 X 11
ARI.124	Y	40 X 52,5 X 4,6/14
ARI.125	DC4Y	50 X 62 X 9,5/11,5
ARI.126	Y	48 X 58,5/62 X 6/11,5
ARI.127	TCL	43 X 55 X 11/14,5
ARI.128	YC	41 X 53,7 X 5/10
ARI.129	Y-11	43 X 54,2/59,8 X 6/11
ARI.130	XICY	35 X 48,5/53 X 5,8/15
ARI.131	YC	46 X 58,5 X 5/10
ARI.132	TC4	41 X 53 X 11
ARI.133	TC4	31,8 X 42 X 7
ARI.134	TC4	48 X 61 X 11
ARI.135	TC4	33 X 45 X 10
ARI.136	DCY	50 X 63 X 11
ARI.137	Y	50 X 63,4X 4,6/14
ARI.138	XICY	41 X 53,5/58 X 4,8/14
ARI.139	DC4Y	48 X 57,9 X 9,5/11,5
ARI.140	Y-2	33 X 46,5 X 5,8/15
ARI.141	DC4Y	35 X 48,2 X 8/10,2
ARI.142	DCY1	30 X 42 X 8/11
ARI.143	DCY	41 X 52,2 X 11
ARI.144	XICY	43 X 55,7/60 X 5/14
ARI.145	TCL1	48 X 58 X 9/9,8
ARI.146	DC4Y-1	46 X 58 X 8,5/11,5
ARI.147	Y-9	46 X 58,5/62,3 X 5,8/13,2
ARI.148	SG5Y	35 X 46,8/51,3 X 5/12,5
ARI.149	DC4Y-2	35 X 46 X 11
ARI.150	Y-2	41 X 52,5 X 4,6/14
ARI.151	Y-24	41 X 54 X 5,6/12,7
ARI.152	Y-1	43 X 54,3 X 6/13
ARI.153	Y	41 X 54,3 X 15
ARI.154	XICY	39 X 51,5 X 14
ARI.155	Y	43 X 54,3 X 15,4
ARI.158	DCY	43 X 52,9 X 9,2
ARI.159	SG5Y	43 X 53,4/57,5 X 6/13
ARI.160	TC3Y	28,5 X 40 X 7/11
ARI.161	TG4	31,5 X 45 X 7,1
ARI.162	Y-2	37 X 50,5 X 5,6/12,8

BRAKE CALIPERS SEALS

GUARNIZIONI PINZE FRENO
JUNTAS PINZAS DE FRENO



NEW COLLECTION



EPDM HP
SPECIAL COMPOUND

EPDM HP SPECIAL COMPOUND

Tutti i componenti in gomma di questo kit, prodotti in Italia dalla Ariete, sono rettificati e testati singolarmente per garantire la perfezione della tenuta negli impianti frenanti.

ATTENZIONE
Solo per liquido freni DOT 3 o DOT 4

The rubber brake seals in this kit are made in Italy by Ariete. After final grinding of the working surfaces, they are individually tested to guarantee their efficiency once fitted to the user's vehicle.

WARNING
Use only DOT3 or DOT4 brake fluid

Ariete presenta una nueva línea de juntas para pinzas de freno para motos y scooters, como pieza de repuesto no original de las más difundidas marcas del mundo.

El material usado para las juntas es una especial mezcla de EPDM HP, estudiada por Ariete y particularmente resistente a los líquidos para los frenos más comúnmente usados, como DOT3 y DOT4.

Pidan el catalogo específico de las aplicaciones a los varios modelos de motos y scooters.

Ariete introduces a new line of seal kits to suit brake calipers for motorcycles and scooters. These are after-market replacements which fit many of the most popular models on the market.

The material used for the seals is a special compound of **EPDM HP**, developed by Ariete and fully compatible with the most common brake fluids (DOT3 and DOT4).

Ask for our special catalogue covering applications for different models of motorcycles and scooters.

MASTER CYLINDERS SEALS

GUARNIZIONI POMPA FRENO
JUNTAS BOMBAS DE FRENO



EPDM HP
SPECIAL COMPOUND

NEW COLLECTION



Ariete presenta una nuova linea di juntas para bombas de freno para motos y scooters, como pieza de repuesto no original de las más difundidas marcas del mundo.

El material usado para las juntas es una especial mezcla de **EPDM HP**, estudiada por Ariete y particularmente resistente a los líquidos para los frenos más comúnmente usados, como DOT3 y DOT4.

Pidan el catalogo especifico de las aplicaciones a los varios modelos de motos y scooters.

Ariete introduces a new line of seal kits to suit brake master-cylinders for motorcycles and scooters. These are after-market replacements which fit many of the most popular models on the market.

The material used for the seals is a special compound of **EPDM HP**, developed by Ariete and fully compatible with the most common brake fluids (DOT3 and DOT4).

Ask for our special catalogue covering applications for different models of motorcycles and scooters.

TECHNICAL ACCESSORIES

E10 (BIOETHANOL 10%) FUEL PIPE



13909/10EN 6x9 mm Pack. 10 mt. - 32' 10" Black



13909/10EV 6x9 mm Pack. 100 mt. - 328' Green

Tubo doble, no encoge, permanece flexible
el tubo interno resiste a la gasolina E10
el tubo externo protege de las altas temperaturas y de las fatigas mecánicas

*Double-skinned pipe, resists embrittlement, remains flexible
inner tube stands up to E10 fuel
outer tube protects from engine high temperatures and mechanical stress*

POLARLYS PIPE



Tubo en Polarlys resiste a las gasolinas sin plomo

Polarlys material stands up to unleaded fuels

01958/A10G 6x9 mm Pack. 10 mt. - 32' 10" Grey

01958/AG 6x9 mm Pack. 100 mt. - 328' Grey

DOUBLE SKINNED PIPE



**UNLEADED
FUEL**

	SIZE	COLOR	PACK	CODE
	4x7	Violet	10 mt. - 32' 10"	01925/10-S
	4,8x9	Violet	10 mt. - 32' 10"	11922/10-S
	5,5x10	Violet	10 mt. - 32' 10"	03904/10-S
	6x9	Violet	10 mt. - 32' 10"	01958/A10S
	6,5x11	Violet	10 mt. - 32' 10"	11923/10-S

- tubo doble, no encoge, permanece flexible
- el tubo interno resiste a las gasolinas sin plomo
- el tubo violeta externo protege de los rayos UV, de altas temperaturas y de fatigas mecánicas transparente, para controlar la gasolina

- *resists embrittlement, remains flexible*
- *inner tube stands up to unleaded fuels*
- *outer purple tube protects from UV rays, engine high temperatures and mechanical stress translucent, so dirty fuel is visible through pipe*

STANDARD PIPE - SMALL PACK

	SIZE	COLOR	PACK	CODE
	1,5x4	Black	10 mt. - 32' 10"	11949/10
	1,5x4	Clear	10 mt. - 32' 10"	11949/10 - T
	2x5	Black	10 mt. - 32' 10"	03998/10
	2x5	Clear	10 mt. - 32' 10"	03998/10 - T
	3x6	Black	10 mt. - 32' 10"	03999/10
	3x6	Clear	10 mt. - 32' 10"	03999/10 - T
	4x7	Black	10 mt. - 32' 10"	01925/10
	4x7	Green	10 mt. - 32' 10"	01925/10 - V
	4,5x9	Black	10 mt. - 32' 10"	01958/10
	4,5x9	Green	10 mt. - 32' 10"	01958/10 - V
	5x8	Black	10 mt. - 32' 10"	01922 /10
	5x8	Green	10 mt. - 32' 10"	01922/10 - V
	5,5x10	Black	10 mt. - 32' 10"	03904/10
	5,5x10	Green	10 mt. - 32' 10"	03904/10 - V
	6x9	co-extruded/grey	5 mt. - 16' 5"	09970/5
	6x9	Black	10 mt. - 32' 10"	01958 /A /10
	6x9	Green	10 mt. - 32' 10"	01958 /A10V
	6x13	Black	10 mt. - 32' 10"	01902 /10
	6x13	Green	10 mt. - 32' 10"	01902 /10 - V
	7x10	Black	10 mt. - 32' 10"	01922 /A /10
	7x10	Green	10 mt. - 32' 10"	01922 /A10V
	8x13	Green	10 mt. - 32' 10"	11932/10 - V
	10x15	Green	10 mt. - 32' 10"	11934/10 - V

STANDARD PIPE - BIG PACK

	SIZE	COLOR	PACK	CODE
	4x7	Green	100 mt. - 328'	01925-V
	4,5x9	Green	100 mt. - 328'	01958-V
	5x8	Black	100 mt. - 328'	01922
	5x8	Green	100 mt. - 328'	01922-V
	6x9	Black	100 mt. - 328'	01958/A
	6x9	Green	100 mt. - 328'	01958 /A -V
	6x13	Green	50 mt. - 164'	01902-V
	7x10	Black	100 mt. - 328'	01922/A
	7x10	Green	100 mt. - 328'	01922/A -V

DOT3 - DOT4 FLUID PIPE



12978/5

Tubo enlace con bomba de freno y deposito para liquido DOT3 - DOT4

Low-pressure hydraulic pipe to fit between remote reservoir and master cylinder, suits DOT3 - DOT4 fluid

12978/5 6x10 mm Pack. 5 mt. - 16' 5" black

DRIVE BELTS BY GATES

Gates es el productor líder en la construcción de correas con alto contenido tecnológico.

- La goma es reforzada por la fibra de aramida para una mejor resistencia al desgaste y para asegurar un perfecto acoplamiento con la polea del variador.
- Los más modernos tratamientos químicos de los cables de la correa aseguran una perfecta adhesión de los cables a la goma, garantizando una larga vida de la correa y una grande resistencia a los cargos pulsantes.
- Las mezclas especiales de goma ofrecen una excelente resistencia a las temperaturas altas y bajas, resistiendo a las variaciones térmicas.
- El constante control de los procesos de producción asegura el máximo primor de las dimensiones de las correas.
- Construida por las fabricas Gates en Europa, todas certificadas por el alto nivel de cualidad, seguridad y cuidado para el medio ambiente.
- En las correas no hay ningún componente químico toxico según las directivas europeas.

Disponibles en tres versiones:

- 1) ESTANDAR** la goma es reforzada con fibra de aramida.
- 2) KEVLAR** cables de fibra de aramida particularmente tenaz para resistir a las cargas y a las aceleraciones.
- 3) DOBLE** construcción con doble dentellado (Double Notch) para garantizar el máximo rendimiento.

Gates is a leading manufacturer of high-tech belts.

- *Aramid fibre reinforced rubber compound, to better resist wear and ensure smooth sliding in the variator pulleys.*
- *Advanced chemical treatment of the tensile members, to assure improved bonding between cord and rubber and guarantee longer belt life and high shock resistance.*
- *Unique rubber compounds, to offer optimum resistance to the highest and lowest temperatures and to thermic load under friction.*
- *Consistent production processes, to ensure dimensional accuracy.*
- *Manufactured in Gates' European facilities, all certified to the highest quality and safety and environmental standards.*
- *No toxic chemical components, in compliance with the relevant European directives.*

Available in three different constructions:

- 1) STANDARD** with aramid reinforced rubber compound.
- 2) KEVLAR** extra strong aramid tensile members to maximise acceleration and shock load resistance.
- 3) DOUBLE NOTCH** Double Notch construction to guarantee extra high performance.

STANDARD



KEVLAR



DOUBLE NOTCH





13980-CB



13980-IS



DIS-10





ARI
THE ORIGINAL
FORK OIL SEALS

Harri's

are the trademarks of

SANDRO MENTASTI S.R.L.

Via Giovanni Macchi, 30 - Tel. +39 0332 310100 - Fax +39 0332 312632
21100 Varese - Italy

Copyright©
Sandro Mentasti s.r.l.

www.ariete.com - www.mentasti.com - info@ariete.com



All rights reserved. No part of this book may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, recording or by any information storage or retrieval system without permission in writing from Sandro Mentasti s.r.l.